```
btion
                Desd
ુંet
        Items
                DATABASE? OR DATABANK? OR DATA()(BASE? OR BANK?) OR DB OR -
S1
       902790
             OODB OR RDB OR DBMS OR RDBMS
                NETWORK? OR LAN OR INTRANET? OR WAN OR WANS OR LANS
S2
      2192165
                STATUS? OR EMERGENC? OR ALERT? OR ALARM? OR PANIC? OR URGE-
S3
      1139313
             NT?
                QUER? OR POLL? OR RETRIEV? OR FETCH? OR SEARCH? OR SEEK? OR
      5330769
S4
              LOCAT? OR FIND?
                VARIABL? OR TABLE? OR MATRIX? OR ARRAY?
S5
      3771383
                TELECOM? OR POTS OR PBX OR T1 OR ISDN OR TELEPHON? OR PH-
      2135566
S6
             ONE OR CELLULAR? OR MOBILE? OR WIRELESS
               MONITOR? OR MANAGE? OR ADMINIST? OR TRACK? OR LOG? OR VIEW?
S7
      7587662
                S3 AND S6 AND S7
        22226
S8
                S8 AND S2 AND S1
          787
S9
                S9 AND S4
          445
S10
          41
                S10 AND S5
S11
         1228
                S1 (2N) S3
S12
                S12 AND S2(2N)S6
S13
           40
                S13 NOT S11
           39
S14
           80
                S11 OR S14
S15
           69
                RD (unique items)
S16
                S16 NOT PY>1999
S17
           49
       8:Ei Compendex(R) 1970-2004/May W2
File
         (c) 2004 Elsevier Eng. Info. Inc.
      35:Dissertation Abs Online 1861-2004/Apr
File
         (c) 2004 ProQuest Info&Learning
File 202: Info. Sci. & Tech. Abs. 1966-2004/May 14
         (c) 2004 EBSCO Publishing
      65:Inside Conferences 1993-2004/May W3
File
         (c) 2004 BLDSC all rts. reserv.
       2:INSPEC 1969-2004/May W2
File
         (c) 2004 Institution of Electrical Engineers
File 94:JICST-EPlus 1985-2004/Apr W4
         (c) 2004 Japan Science and Tech Corp(JST)
File 111:TGG Natl.Newspaper Index(SM) 1979-2004/May 21
         (c) 2004 The Gale Group
File 233: Internet & Personal Comp. Abs. 1981-2003/Sep
         (c) 2003 EBSCO Pub.
       6:NTIS 1964-2004/May W3
         (c) 2004 NTIS, Intl Cpyrght All Rights Res
File 144: Pascal 1973-2004/May W2
         (c) 2004 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
      34:SciSearch(R) Cited Ref Sci 1990-2004/May W2
         (c) 2004 Inst for Sci Info
      99:Wilson Appl. Sci & Tech Abs 1983-2004/Apr
         (c) 2004 The HW Wilson Co.
File 696:DIALOG Telecom. Newsletters 1995-2004/May 20
         (c) 2004 The Dialog Corp.
```

Set	Items	Description
S1	154252	DATABASE? OR DATABANK? OR DATA()(BASE? OR BANK?) OR DB OR -
	C	OODB OR RDB OR DBMS OR RDBMS
S2	356531	
S3	233107	STATUS? OR EMERGENC? OR ALERT? OR ALARM? OR PANIC? OR URGE-
	N	T?
S4	1458080	QUER? OR POLL? OR RETRIEV? OR FETCH? OR SEARCH? OR SEEK? OR
		LOCAT? OR FIND?
S5	1124362	VARIABL? OR TABLE? OR MATRIX? OR ARRAY?
S6	662067	TELECOM? OR POTS OR PBX OR T1 OR ISDN OR TELEPHON? OR PH-
	C	ONE OR CELLULAR? OR MOBILE? OR WIRELESS
S7	2527729	MONITOR? OR MANAGE? OR ADMINIST? OR TRACK? OR LOG? OR VIEW?
S8	8677	S3 AND S6 AND S7
S9	251	S8 AND S2 AND S1
S10	89	S9 AND S4
S11	8	S10 AND S5
S12	463	S1 (2N) S3
S13	28	S12 AND S2(2N)S6
S14	28	S13 NOT S11
S15	8	S14 AND IC=(G06F-015? OR H04L?)
S16	20	S14 NOT S15
File		Nov 1976-2004/Jan(Updated 040506)
		2004 JPO & JAPIO
File		ent WPIX 1963-2004/UD,UM &UP=200431
	(c) 2	2004 Thomson Derwent

		[ / / P / 5 1 1 0 C 2 P		
-	11	(("4511963"	USPAT;	2004/05/20
		"5784442"	US-PGPUB;	08:22
		"6393481"	EPO; JPO;	
		"6080202"	DERWENT;	
		"5450123"	IBM_TDB	
!		"5835570 <b>"</b>   "5946684 <b>"</b>	1	
ŀ		"5991379"		
!		"6067546 <b>"</b>	Į.	
		"5883939" "5003584"		
		"5003584"   "5187710 <b>"</b>	ì	
		"5475746"		
1 1		"5475746"   "5732127"		
		5732127   "5784443"		
		5764443   "5875238"		
		"5963943"		
		"5506893"		
		"5802527"		
		"6044259"	i	
		"6160794"		
		"6311186"		
		"6351453"		
		"6351453"   "6385301"	i	
		"6385312 <b>"</b>	ļ	
		"6385312"   "6385444"	1	
		"6385444"   "6393113"	1	
		"6393113"   "6411681"		
1		"6411681"   "6731730"		
		"6144731"		
		"6253193"		
		"6363488"		
		"6389402"		
		"6427140"		
		"5388095"		
		"6016340"		
		"5440563"		
		"5511116"		
		"5564068"		
		"5838237"		
		"6201862"		
		"4551585"		
		"4552997"		
	ļ ,	"6260067"		
		"6363411"		
		"6418461"		
		"6425005"		
		"4331834"		
		"5633924"		
		"6154646"		
		"4979118"		
		"5291481"		
		"5291550"		
		"5463686"		
		"5806000"		
		"5864616"		
		"5982782 <b>"</b>		
		"6138008"		
	!	"6157707"		
		"6185414"		
		"6233324"		
	]	"4247740 <b>"</b>		
	·	"4311882"		
		"4371752"		
		"4581486"		
		"4602129"		
		"4761781"		
		"4763321"		
		"5201045"		
		"5222130"		
		"5233600"		
		"5345445"		
Search His	tory 5	"5420914" 2540362917:21 PM Page 2		
1 , ,		"5465387"		
C: \APPS\E	ST \Worksp	ace4909685501.wsp		
				•

	· · · · · · · · · · · · · · · · · · ·		
- 10		USPAT;	2004/05/18
]	"5784442"	US-PGPUB;	15:51
<u> </u>	"6393481"	EPO; JPO;	
	"6080202"	DERWENT;	
	"5450123" "5835570"	IBM_TDB	
1	"5946684"		
]	5946664   "5991379"		
	"6067546"		
	"5883939"		
	"5003584"		
1	"5187710"		
1	"5475746"		
	"5732127"		
1	"5784443"		
1	"5875238"		
1	"5963943"		
	"5506893"		ļ
1	"5802527"		
l i	"6044259"		
	"6160794"		
	"6311186"	i	
	"6351106   "6351453"		
1 i	1 "6385301"		
1	<del>-</del>		
	"6385312"	1	
	"6385444"	1	
1	"6393113"   "6411681"		
] [	"6411681" "6731730"		
1 1			
	"6144731"   "6252102"		
1 1	"6253193"   "6263499"	1	
1	"6363488"   "636463"		
1	"6389402"		
	"6427140"		
	"5388095"		
	"6016340"		
	"5440563"		
	"5511116"		
	"5564068"		
	"5838237"		
	"6201862"		
	"4551585"		
<b> </b>	"4552997"		
i l	"6260067"		
	"6363411"		
	"6418461"		
	"6425005"		
	"4331834"		
	"5633924"		
j	"6154646"		
	"4979118"		
	"5291481"		
	"5291550"		
	"5463686"		
	"5806000"		
	"5864616"		
	"5982782"		
[	"6138008"		
	"6157707"		
	"6185414"		
	"6233324"		
[	"4247740"		
	"4311882"		
	"4371752"		
	"4581486" "4602129"		
	"4761781"		
	"4763321"		
	"5201045" "5222130"		
	"5222130"   "5233600"		
	"5233600"   "5345445"		
Search History 5	75420914" 7240362917:21 PM Page 3		
	"5465387"		
C. \Apps\ EAST\ WATER			}
C:\APPS\EAST\Worksp	десадио и а о о т. w а р	I	1

-	48	@ad<=20001222 and ((((obtain\$4 or access\$4 or get\$6) and (chang\$4 or	USPAT; US~PGPUB;	2004/05/20 08:23
		modif\$6)) near5 (information or data)	EPO; JPO;	
		same ((real adj time) or (real-time)) same (software or program)) and	DERWENT; IBM TDB	
		\$4communication near3 network)	12132	
-	9	@ad<=20001222 and (((obtain\$4 or	USPAT;	2004/05/18
		access\$4 or get\$6) and (chang\$4 or modif\$6)) near5 (information or data)	US-PGPUB; EPO; JPO;	16:28
		near30 ((real adj time) or (real-time))	DERWENT;	
		near30 (software or program)) and	IBM_TDB	
	57	\$4communication near3 network) @ad<=20001222 and ((computer or terminal	USPAT;	2004/05/18
	] 3/	or server or workstation) near20 (program	US-PGPUB;	16:32
		or software) same ((access\$4) near5	EPO; JPO;	
		(information or data)) and ((modif\$4 or	DERWENT;	
		chang\$4) near5 (information or data)) ) AND (telecommunication adj network)	IBM_TDB	
-	11		USPAT;	2004/05/18
		or server or workstation) near20 (stored	US-PGPUB;	17:28
		near10(program or software)) same ((access\$4) near5 (information or data))	EPO; JPO; DERWENT;	
		and ((modif\$4 or chang\$4) near5	IBM TDB	
		(information or data)) ) AND	_	
	1,1	(telecommunication adj network)	USPAT;	2004/05/18
-	11	<pre>@ad&lt;=20001222 and ((computer or terminal or server or workstation) near20 (stored</pre>	US-PGPUB;	16:33
		near10 (program or software)) same	EPO; JPO;	
		((access\$4) near5 (information or data))	DERWENT;	
		and ((modif\$4 or chang\$4) near5 (information or data)) ) AND	IBM_TDB	
		(telecommunication adj network)		
-	80	@ad<=20001222 and modify\$4 near5 (data or	USPAT;	2004/05/18
		information) same (prevent near20 access\$4)	US-PGPUB; EPO; JPO;	17:34
		accessy4)	DERWENT;	
			IBM_TDB	
-	5	@ad<=20001222 and modify\$4 near5 (data or	USPAT;	2004/05/18
		information) same (prevent near20 access\$4) near10 users	US-PGPUB; EPO; JPO;	17:35
		accept, nearly about	DERWENT;	
		0 1 00001000	IBM_TDB	2004 (05 (10
-	30	@ad<=20001222 and user near10 modify\$4   near5 (data or information) and (prevent	USPAT; US-PGPUB;	2004/05/18 17:52
		near20 access\$4) near10 users same (data	EPO; JPO;	17.02
		or information)	DERWENT;	
_	31	@ad<=20001222 and user near10 modify\$4	IBM_TDB USPAT;	2004/05/18
-	31	near5 (data or information) and	US-PGPUB;	18:05
		((prevent or avoid) near20 access\$4)	EPO; JPO;	
		near10 users same (data or information)	DERWENT;	
_	3	@ad<=20001222 and user near10 modify\$4	IBM_TDB USPAT;	2004/05/18
		near5 (data or information) and	US-PGPUB;	17:56
	1	((prevent or avoid) near20 access\$4)	EPO; JPO;	
	1	near10 users same modif\$4 near5 (data or information)	DERWENT; IBM TDB	
_	15	@ad<=20001222 and database same access	USPĀT;	2004/05/18
	1	adj list same users	US-PGPUB;	18:23
	1		EPO; JPO; DERWENT;	
			IBM TDB	
_	7	@ad<=20001222 and database same access	USPĀT;	2004/05/18
	1	adj list with (software or programs)	US-PGPUB;	18:07
			EPO; JPO; DERWENT;	
	F-3		IBM_TDB	
-	2	@ad<=20001222 and database near5 access	USPAT;	2004/05/18
	i	near5 control near5 list same (user same (program or software))	US-PGPUB; EPO; JPO;	18:10
		(Program or sortware))	DERWENT;	
			IBM_TDB	

			·	
-	3	@ad<=20001222 and (database near5 access	USPAT;	2004/05/18
		near5 control near5 list).ab.	US-PGPUB;	18:10
			EPO; JPO;	
			DERWENT;	
1_	41	@ad<=20001222 and database near5 access	IBM_TDB USPAT;	2004/05/18
-	1 31	near5 control near5 list	US-PGPUB;	18:12
		nears control hears 1130	EPO; JPO;	10.12
1			DERWENT;	
1			IBM TDB	
-	4	@ad<=20001222 and database near5 access	USPAT;	2004/05/18
		near5 control near5 list same security	US-PGPUB;	18:12
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26	@ad<=20001222 and monitor\$4 near10	USPAT;	2004/05/19
İ		(software or program) near10 access	US-PGPUB;	15:08
		near10 database	EPO; JPO;	
			DERWENT;	
	1	"6574464" and software	IBM_TDB	2004/05/10
-		05/4404 and SOLLWare	USPAT; US-PGPUB;	2004/05/19 18:28
			EPO; JPO;	10:20
			DERWENT;	
			IBM TDB	
_	12	@ad<20001222 and database same data near5	USPAT;	2004/05/19
		concurrency same consistency	US-PGPUB;	13:55
		•	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	73	@ad<20001222 and multi-user adj database	USPAT;	2004/05/19
			US-PGPUB;	13:55
			EPO; JPO;	
			DERWENT;	
		0.d<20001222 and miles were add database	IBM_TDB	2004/05/10
-	4	•	USPAT;	2004/05/19
	l	same users same (prevent or avoid)	US-PGPUB; EPO; JPO;	14:16
			DERWENT;	
			IBM TDB	
-	334	@ad<20001222 and access near5 list near20	USPAT;	2004/05/19
		database	US-PGPUB;	14:17
			EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
-	4	<pre>@ad&lt;20001222 and access near5 list near20</pre>	0-0-0-7	2004/05/19
		database same users same (program or	US-PGPUB;	14:18
		software)	EPO; JPO;	
			DERWENT;	
_	25	@ad<20001222 and record near5 access	IBM_TDB USPAT;	2004/05/19
'	43	near20 database near20 (clients or users)	USPAT; US-PGPUB;	14:23
			EPO; JPO;	11.25
			DERWENT;	
			IBM TDB	
-	21	@ad<20001222 and record near5 access	USPAT;	2004/05/19
		near20 database near20 (users)	US-PGPUB;	14:26
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	•	USPAT;	2004/05/19
		access near10 database	US-PGPUB;	14:29
			EPO; JPO;	
			DERWENT;	
_	89	@ad<20001222 and record near5 user near5	IBM_TDB USPAT;	2004/05/19
		access near10 database	US-PGPUB;	14:31
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
	•——			L

-	9	<pre>@ad&lt;20001222 and (record near5 user near5 access near10 database).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/19 14:33
			DERWENT; IBM_TDB	0004/05/20
-	1	<pre>@ad&lt;20001222 and record near5 user near5 access near5 history near10 database</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19
-	34	@ad<20001222 and user near5 access near5 history near10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:40
_	21	@ad<20001222 and user adj3 access adj3 history same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:41
-	41	<pre>@ad&lt;=20001222 and (user or client) adj5 access\$4 adj5 (history or record) adj10 database</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:46
_	2	<pre>@ad&lt;=20001222 and (user or client) adj5 access\$4 adj5 (history or record) adj10 database same security</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19
-	1	<pre>@ad&lt;=20001222 and (user or client) adj5 access adj5 (history or record) adj10 database same security</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19
-	10	@ad<=20001222 and (user or client) adj5 log\$4 adj5 (history or record) adj10 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:49
_	7	<pre>@ad&lt;=20001222 and (user or client) adj5 log\$4 adj5 (history or record) same security</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:50
-	38	@ad<=20001222 and (user or client) adj5 log\$4 adj5 (history)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:52
_	6	<pre>@ad&lt;=20001222 and (creat\$4 near10 user near5 log\$6 near5 (record or list or history) ).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:56
-	2	<pre>@ad&lt;=20001222 and (maintain\$4 near10 user near5 log\$6 near5 (record or list or history) ).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:56
-	95	<pre>@ad&lt;=20001222 and creat\$4 near10 user near5 log\$6 near5 (record or list or history)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:00
-	4	@ad<=20001222 and monitor\$4 near5 access near5 database near10 users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:01
r	I			

-	2	@ad<=20001222 and record adj5 access adj5 (information or data) adj5 users	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:03
_	120	<pre>@ad&lt;=20001222 and user near5 log\$4 near10 access near10 (list or record)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:09
-	23	<pre>@ad&lt;=20001222 and user near5 log\$4 near10 access near10 (list or record) same database</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:12
-	8	<pre>@ad&lt;=20001222 and monitoring near5 user near5 access near5 database</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:16
-	8	<pre>@ad&lt;=20001222 and monitoring near5 (software or program) near5 access near5 database</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:17
-	5	@ad<=20001222 and monitoring and multi-program near5 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:18
_	5	@ad<=20001222 and multi-program near5 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:19
-	11	@ad<=20001222 and ((multi-program) or (multiple adj program) or (multiple adj software) or (multi-software)) near5 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:21
-	4	@ad<=20001222 and ((multi-program) or (multiple adj program) or (multiple adj software) or (multi-software)) near10 access\$6 near10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:22
_ *	24	@ad<=20001222 and ( (multiple or various) near5 (program or software) ) near10 access\$6 near10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:25
-	9	<pre>@ad&lt;=20001222 and ( (multiple or various) near5 (program or software) ) near10 access\$6 adj10 database</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:26
-	7	@ad<=20001222 and ( (multiple or various) adj10 (program or software) ) near50 access\$6 adj10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:28
_	12	@ad<=20001222 and record adj10 (software or program) adj10 access adj30 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:48
-	1	@ad<=20001222 and database near3 control near5 monitor\$5 same (progra or software) same access same database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:49
L	<u>l</u>		IBM_TDB	

-	6	@ad<=20001222 and database near3 control	USPAT;	2004/05/19
		near5 monitor\$5 same (program or	US-PGPUB;	15:50
		software) same access same database	EPO; JPO;	•
			DERWENT;	
		0 14 00001000 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	2024/05/12
-	15	@ad<=20001222 and database near3	USPAT;	2004/05/19
		management same monitor\$5 near3 access	US-PGPUB;	15:51
			EPO; JPO;	
			DERWENT; IBM TDB	l
_	2	"6411969"	USPAT;	2004/05/19
-		0411303	US-PGPUB;	17:40
			EPO; JPO;	17.30
			DERWENT;	
			IBM TDB	
-	1	"6411969" and monitor\$4	USPAT;	2004/05/19
	_	,	US-PGPUB;	17:40
			EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
-	10	(home adj location adj register near10	USPĀT;	2004/05/19
		table).ab.	US-PGPUB;	18:28
			EPO; JPO;	
			DERWENT;	
1		<u> </u>	IBM_TDB	
-	17	, ·	USPAT;	2004/05/20
		network) and database same determin\$4	US-PGPUB;	08:34
1		near5 status	EPO; JPO;	
			DERWENT;	
1_	2	"20020120765"	IBM_TDB USPAT;	2004/05/20
-		20020120763	US-PGPUB;	08:30
			EPO; JPO;	08.30
			DERWENT;	
			IBM TDB	
	20	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database same (record or	US-PGPUB;	08:39
	1	list or file) same sort\$4	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	44	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database same emergency	US-PGPUB;	08:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/00
-	8	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database near10 emergency	US-PGPUB;	10:48
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	_	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database near20 emergency	US-PGPUB;	10:51
		same bill\$5	EPO; JPO;	
		, same sality	DERWENT;	
			IBM TDB	
-	4	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
1	1	network) and database same query same	US-PGPUB;	17:33
1		emergency	EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	11	• · · · · · · · · · · · · · · · · · · ·	USPĀT;	2004/05/21
		near20 stor\$4 near10 database same (ser	US-PGPUB;	10:35
	[	or subscriber)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/05/05
-	]	@ad<=20001222 and "6714979"	USPAT;	2004/05/21
	1		US-PGPUB;	11:04
1			EPO; JPO;	
	1		DERWENT;	
	<u> </u>	<u> </u>	IBM_TDB	<u>l</u>

	120	0-14-2000122211	HCDAD.	2004/05/21
-	128	<del></del>	USPAT;	2004/05/21
		database and (cell or matrix or grid or	US-PGPUB;	11:07
		table) same ((fail\$4 or emergency or	EPO; JPO;	
		outage or problem) same status)	DERWENT;	
			IBM_TDB	!
-	43	@ad<=20001222 and telecommunication and	USPAT;	2004/05/21
		database same (cell or matrix or grid or	US-PGPUB;	11:09
		table) same ((fail\$4 or emergency or	EPO; JPO;	
		outage or problem) same status)	DERWENT;	
ļ			IBM_TDB	
	15	@ad<=20001222 and telecommunication and	USPĀT;	2004/05/21
		database same (cell or matrix or grid or	US-PGPUB;	11:17
		table) same ((fail\$4 or emergency or	EPO; JPO;	
		outage or problem) near20 status)	DERWENT;	
			IBM_TDB	
-	15	@ad<=20001222 and telecommunication and	USPAT;	2004/05/21
		((database) or (data adj base) or	US-PGPUB;	11:14
		(data-base) ) same (cell or matrix or	EPO; JPO;	
		grid or table) same ((fail\$4 or emergency	DERWENT;	l
		or outage or problem) near20 status)	IBM TDB	